
Let MagnumStone® drive your design MagnumStone®


Your **Gravity Wall** just got taller

MagnumStone® Gravity Retaining Wall Extenders replace Geogrid reinforcements by using a tongue-and-groove concrete system to meet or exceed the demands of engineers. This system reduces the massive footprint of traditional cantilevered gravity retaining walls and gives developers and owners greater use of land above the wall.





© Copyright CornerStone® Wall Solutions Inc. All Rights Reserved. | More information can be found at magnumstone.com



MagnumStone® Unit


Units are made from high strength, wet cast concrete to provide durability and resistance to weathering.

Hollow Core


Makes it easy to saw cut, add special lighting, or place fence posts into when adding creative details.

4FT & 2FT Extenders

MagnumStone[®] Extenders can be used in any combination of standard lengths.



Extender Assembly



Gravity Wall with Extenders

Geogrid Walls


Geogrids are used to reinforce the soil mass behind the MagnumStone[®] units to create tall retaining wall systems. Geogrids help resist pressures from loads such as parking lots, roadways, water applications or positive slopes.

Geogrid with the appropriate lengths, layers, and compacted backfill materials will resist forces above and behind the wall. The use of Geogrid reinforcements with the MagnumStone[®] system is very cost effective for very tall wall structures. For walls higher than 4.0 ft, consult a qualified engineer.











© Copyright CornerStone Wall Solutions Inc. All Rights Reserved. | More information can be found at magnumstone.com

Common Applications



GRAVITY WALLS

MagnumStone[®] Gravity Retaining Wall Extenders replace Geogrid reinforcements by using a tongue-and-groove concrete system that meets or exceeds the demands of engineers. This system reduces the massive footprints demanded by cantilevered traditional gravity retaining walls and gives developers and owners greater use of land above the wall.



GEOGRID WALLS

Geogrids are used to reinforce the soil mass behind the MagnumStone[®] units to create tall retaining wall systems. Wall structures that may require geogrid reinforcement to resist the increased pressures behind the wall include parking lots, roadways, water applications or positive slopes above.



TERRACES WITH PLANTERS

The MagnumStone[®] retaining wall provides a large vertical and horizontal hollow core. The light weight and large size units allow wall designers the flexibility of creating many solutions without environmentally costly side-effects. The hollow core provides a plantable retaining wall pocket within the retaining wall system.



WATER APPLICATIONS

The hollow core allows for vertical internal drainage, minimizing the effects of hydrostatic pressures behind the wall. Wet-cast MagnumStone[®] units provides a durable, 4000 psi (27.5 MPa) concrete that is resistant to freeze-thaw degradation in areas of repeated freezing and thawing in saturated conditions.

More: Steel/Concrete Wall, Soil Anchoring, Steel Grid, Wall Step-Up, Free Standing

Design Software

The MagnumStone[®] Wall Designer program is designed with the Engineer in mind. It includes multiple methodologies, MagnumStone[®] gravity systems, geogrid friction, and positive reinforcement options for the designer to choose from. Select and edit soil information, input loads and slopes above and below the retaining wall.



Unit Specifications



STANDARD 1370 lbs (621 kgs)



STANDARD BASE 1345 lbs (621 kgs)



STANDARD TOP 1220 lbs (553 kgs)

	Height	24″	610mm
	Depth	24″	610mm
	Face Width	48″	1219mm
	Back Width	39″	991mm
	Face Area	8 sq ft	0.745 m2
	Setback	4.5°/2.4°/0°	



HALF HIGH 750 lbs (340 kgs)



HALF HIGH BASE 725 lbs (328 kgs)



HALF HIGH TOP 680 lbs (308 kgs)

Height	12″	305mm
Depth	24″	610mm
Face Width	48″	1219mm
Back Width	39″	991mm
Face Area	4 sq ft	0.37 m2
Setback	4.5°/2.4°/0°	




2FT EXTENDER 520 lbs (236 kgs)





4FT EXTENDER 820 lbs (372 kgs)





CORNER/END 340 lbs (154 kgs)

Height	24″	610mm
Depth	8″	203mm
Top Width	2″	51mm
Bottom Width	4″	102mm



HALF HIGH CORNER/END 170 lbs (77 kgs)

ım	Height	12″	305mm
ım	Depth	9″	229mm
n	Top Width	3″	76mm
ım	Bottom Width	4″	102mm



STEP/CAP 290 lbs (131 kgs)

Height	6″	152mm
Depth	24″	609mm
Width	48″	1219mm



A full list of specifications can be found on:

magnumstone.com



Dimensions and weights may vary. Please check with local producer.

© Copyright CornerStone® Wall Solutions Inc. All Rights Reserved. | More information can be found at magnumstone.com



MagnumStone®

Cornerstone[®] Wall Solutions Inc.

Toll Free: 1-800-939-9193 Phone: 604-939-7999 Email: info@cornerstonewallsolutions.com

» magnumstone.com